



# LACUNZA

*Natural comfort*







## Lacunza is... **HISTORY**

Our roots lie in the Sakana valley, in the Navarre region of Spain. We were born and raised here, and our business is marked by more than 50 years of work and a non-stop forward path.

For more than half a century, we have forged our business' unique personality based on the sustainability of the environment, innovation, technology, design and customer orientation.

From the original iron foundry and subsequent cookstove and fireplace factory, LACUNZA has undergone a remarkable evolution and development. This is evidenced in our range of products, models, materials and energy sources, as well as the continued incorporation of quality, innovation and design into all our products.

## Lacunza is... **COMMITMENT**

At LACUNZA, we have set a benchmark for cookstoves, wood-burning stoves and fireplaces. We design, manufacture and market all our products.

Our greatest strength is our personnel and their commitment to our company. We strive to foster respect for the social, economic and environmental surroundings and through this, we give back to the environment.

## Lacunza is... **SUSTAINABILITY**

At LACUNZA, the importance of taking care of our forests is clear to us. Our manufacturing goal is for all our products to have the greatest energy efficiency with the smallest ecological footprint possible. We care for and replant forests that provide one of the greatest sources of heat and energy: wood.



# In-Built



# Silver



Silver 1000



Silver 800

## CHARACTERISTICS

- Carbon steel insert in 800 and 1000mm options
- Black Vermiculite interior panels
- Two 5 speed optional centrifugal fans 300m3 p / h
- Stainless steel removeable ash pan
- Full glass door
- Two optional hot air ducts
- 200mm or reduced to 180mm flue connection
- Double combustion
- Includes 4 sided colour coded frame
- 800 Silver = 6,7 to 12 kW / h
- 1000 Silver = 7,9 to 14 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918



Optional Fans Digitally Controlled



# Nickel



Nickel 1000

## CHARACTERISTICS

- Carbon steel double sided insert in 800 and 1000mm options
- Black vermiculite interior panels
- Black refractory stone base
- Stainless steel removeable ash pan
- Full glass doors opening from both sides
- 200mm or reduced to 180mm flue connection
- Double combustion control
- Includes two 4 sided colour coded frames
- 800 Nickel = 9,9 to 15 kW / h
- 1000 Nickel = 15,6 to 22 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918



Nickel 800



Room Divider





# Freestanding



# Atlantic 603



## CHARACTERISTICS

- Steel stove 60cm wide and 85cm high
- Black Vermiculite interior
- Full glass door
- Cast Iron grid and stainless steel ash pan
- Double combustion control with air wash
- 150mm flue top connection
- Atlantic 600 = 4,4 to 12 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918

## Committed to QUALITY

We are a company focused on the design, manufacture and marketing of cook stoves, wood burning stoves and fireplaces. Through a Quality Management System based on ISO 9001, we undertake to comply with applicable requirements and to continually improve the effectiveness of the Quality Management System.



Atlantic 603



## Atlantic 613



## Silver F/S



Atlantic 613

### CHARACTERISTICS

- Steel stove 60cm wide and 110cm high
- Black Vermiculite interior
- Full glass door
- Cast Iron grid and stainless steel ash pan
- Double combustion control with air wash
- 150mm flue top connection
- Atlantic 613 = 9,1 to 13 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918

## Dedication to SERVICE

Our main commitment to our customers is to offer them more than the guaranteed quality of our products. Our commitment and proposal is to make our services synonymous with trust and quick, comfortable and efficient relationships. In LACUNZA we openly seek and promote mutual loyalty and offer our own Technical Assistance Service to ensure that the product experience is always the best.



Silver 1000 Freestanding

### CHARACTERISTICS

- Carbon steel in 800 and 1000mm options
- Black Vermiculite interior panels
- Two 5 speed optional centrifugal fans 300m3 p / h
- Stainless steel removeable ash pan
- Full glass door
- 200mm or reduced to 180mm flue connection
- Double combustion control
- 800 Silver = 6,7 to 12 kW / h
- 1000 Silver = 7,9 to 14 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918



Optional Fans Digitally Controlled



Silver 800 Freestanding



# Silver F/S W/B



# Verona F/S



## CHARACTERISTICS

- Carbon steel in 800 and 1000mm options
- Black Vermiculite interior panels
- Two 5 speed optional centrifugal fans 300m3 p / h
- Stainless steel removeable ash pan
- Full glass door
- 200mm or reduced to 180mm flue connection
- Double combustion control
- 800 Silver = 6,7 to 12 kW / h
- 1000 Silver = 7,9 to 14 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918



Verona 1000 Freestanding



## CHARACTERISTICS

- Carbon steel double sided 1000mm
- Black vermiculite panels
- Black refractory stone base
- Stainless steel removeable ash pan
- Full glass doors
- 200mm or reduced to 180mm flue connection
- Double combustion control
- 1000 Verona = 15,6 to 22 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918



Silver 1000 Log Storage Base



Optional Fans Digitally Controlled



Silver 800 Log Storage Base



## Verona F/S W/B



Verona F/S W/B

### CHARACTERISTICS

- Carbon steel double sided 1000mm
- Black vermiculite panels
- Black refractory stone base
- Stainless steel removeable ash pan
- Full glass doors
- 200mm or reduced to 180mm flue connection
- Double combustion control
- Wood storage box as a base
- 1000 Verona = 15,6 to 22 kW / h
- Fully certified to AS/NZS 4012, 4013 and 2918

Committed to  
**QUALITY**

We are a company focused on the design, manufacture and marketing of cook stoves, wood burning stoves and fireplaces. Through a Quality Management System based on ISO 9001, we undertake to comply with applicable requirements and to continually improve the effectiveness of the Quality Management System.





# Technical Information

Model	External Dimensions Including Frame Width * height * Depth	Certification kW	Max kW	Efficiency %	g / kg Emissions	Weight kg	Flue Size mm
Silver 800 In Built	892*611*445	6,7	12	70	0,9	107	200
Silver 1000 In Built	1092*611*445	7,9	14	65	0,7	132	200
Silver 800 F/S	800*520*445	6,7	12	70	0,9	107	200
Silver 1000 F/S	1000*520*445	7,9	14	65	0,7	132	200
Silver 800 F/S W/B	800*892*447	6,7	12	70	0,9	137	200
Silver 1000 F/S W/B	1000*892*447	7,9	14	65	0,7	162	200
Nickel 800 In Built	892*611*510	9,9	15	64	0,9	130	200
Nickel 1000 In Built	1092*611*510	15,6	22	60	0,9	140	200
Verona F/S	1042*618*515	15,6	22	60	0,9	140	200
Verona F/S W/B	1042*951*515	15,6	22	60	0,9	170	200
Atlantic 603	600*850*400	4,4	12	67	0,5	90	150
Atlantic 613	600*1100*400	9,1	13	64	0,5	125	150











Le label  
du chauffage  
au bois



[info@lacunza.com.au](mailto:info@lacunza.com.au)  
[www.lacunza.com.au](http://www.lacunza.com.au)

Lacunza imported by SGB Distributors(Pty) Ltd.